


T 5 S — R 5 E. 2<sup>nd</sup> Mer.



T 6 S — R 5 E. 2<sup>nd</sup> Mer.



Meander 350

343

T. 6. S. R. 5. E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Township No. 6. S. R. 5. E. 2<sup>d</sup> Mer.  
Indiana  
North Boundary

Began at the corner of Townships No. 5 & 6 South,  
 Range No. 5 East, & on the West line of the Range  
 East, between Townships No. 5 and 6 South, Range  
 No. 5 East

East Between Townships No. 5 and 6 South, Range No.  
 5 East

10.00 a Brook 50 lbs. wide S. E.

14.45 a Sugar maple 12 ins. dia

30.00 a brook 6 lbs. wide course S. W.

32.75 a Sugar-maple 8 ins. dia

35.25 a Beech 36 ins. dia.

40.00 Set the  $\frac{1}{2}$  mile or  $\frac{1}{4}$  Sec. post from which a Beech  
 4 ins. dia. bears S 8 W 23 lbs. & a Sugar maple 4 ins  
 dia. bears N 16 E 23 lbs. This  $\frac{1}{2}$  mile is over two  
 high story hills, poor soil. Timber W. Oak, B. Oak  
 on the hills, the Valley have some Sugar-maple  
 and Beech,

45.25 a Beech 18 ins. dia

49.48 a Do 14 " "

74.00 a Do 14 " "

80.00 Set a mile post corner of Sec. No. 31 & 32. Township  
 No. 5 South, Range No. 5 East, Sec. No. 5 and 6  
 Township No. 6 South, Range No. 5 East, from which  
 a Butternut 15 ins. dia. bears N 37 W 23 lbs. and  
 a Beech 12 ins. dia. bears S 50 E 6 lbs. This  $\frac{1}{2}$  mile  
 is over hilly land, rich soil. timber Beech, White  
 Ash and Poplar

---

East

12.60 a Poplar 40 ins. dia

33.15 a Do 15 " "

36.00 a brook 25 lbs. wide course S. W.

40.00 Set the  $\frac{1}{2}$  mile or  $\frac{1}{4}$  Sec. post, from which a

## T. C. S. R. 5. E. of Moor. Ind.

South Continued Range line South, Between Ranges  
No. 4 and 5 East

- 1.75 a poplar 36 ins. dia  
30.04 a White Oak 48 ins. dia  
35.00 Top of a steep hill descend S. W  
40.00 Set the  $\frac{1}{2}$  mile or  $\frac{1}{4}$  sec. post, from which a Beech  
15 ins. dia. bears S 68 E 17 lks. & another Beech 14 ins  
dia. bears S 80 E 40 lks. This  $\frac{1}{2}$  mile is over broken  
land, 3<sup>rd</sup> rate soil, Timber White Oak, Black Oak  
Beech and Poplar  
43.00 down the steep hill  
52.50 To Mosquito creek 50 lks. wide course S 40 W  
80.00 Set a mile post corner of Sec. (No. 1 & 12 Township  
No. 6. South, Range (No. 4 East, Sec. (No. 6 and 7  
Township (No. 6 South, Range No. 5 East - from  
which a White maple 18 ins. dia. bears S 51 E  
57 lks. & a White Oak 10 ins. dia. bears N 38 E 98 lks  
This  $\frac{1}{2}$  mile is over broken land, rich soil and  
good for farming. Timber Beech, Sugar Maple,  
& some White Oak

South Between Ranges No. 4 & 5 East

- 10.80 a Beech 36 ins. dia.  
12.50 a brook 4 lks. wide course S. W.  
31.00 a Sugar Maple 16 ins. dia  
31.50 a brook 10 lks. wide course S. W.  
40.00 Set the  $\frac{1}{2}$  mile or  $\frac{1}{4}$  sec. post, from which a  
Beech 18 ins. dia. bears S 22 E 11 lks. & another Beech  
8 ins. dia. bears N 32 E 30 lks. This  $\frac{1}{2}$  mile is  
over level land 1<sup>st</sup> rate soil. timber Beech, Sugar  
maple and some White Oak.  
58.38 a White maple standing on the Western bank  
of the Ohio River of Range (No. 5 East Township  
No. 6 South, Sec. (No. 7. and Range (No. 4 East Town-  
ship (No. 6 South Section (No. 12. from which a  
 Hickory 28 ins. dia. bears S 81 E 24 lks. and a White

# 347

## H. C. L. R. S. E. of Mer. Ind.

ash 16 ins. dia. bears N 39 E 45 lbs. & a Buckeye 12 ins. dia. bears N 42 W 32 lbs. — This distance is over level land, 1<sup>st</sup> rate soil. timber Buck, White Ash some Sugar maple and Poplar.

South Between Sect. No. 5 & 6 Township No. 6 South Range No. 5 East

18.75 a Buck 15 ins. dia

29.40 a Buck 18 " "

33.00 a buck 20 lbs. wide corner South West

40.00 Set the  $\frac{1}{4}$  mile or  $\frac{1}{4}$  sec. post from which a Buck 14 ins. dia. bears S 89 W 9 lbs. & a Sugar maple 4 ins. dia. bears N 43 E 4 lbs. This  $\frac{1}{4}$  mile is over broken and hilly land, 3<sup>rd</sup> rate soil. timber White Oak, Black Oak, some Buck &c.

58.25 a Hickory 14 ins. dia

80.00 Set a mile post corner of Sect. No. 5, b. 7 and 8 Township No. 6 South, Range No. 5 East, from which a Buck 10 ins. dia. bears N 41 $\frac{1}{2}$  W 23 lbs. & another Buck 15 ins. dia. bears S 58 W 33 lbs. This  $\frac{1}{4}$  mile is over hilly land, rich soil, under growth large cane

West between Sect. No. 6 & 7 Township No. 6 South, Range No. 5 East — On a random line

40.00 Set a temporary  $\frac{1}{4}$  sec. post — Land level and 1<sup>st</sup> rate soil. timber Buck, Sugar maple & White Ash

79.90 intersected the North & South line at the Section corner This  $\frac{1}{4}$  mile is over level land, 1<sup>st</sup> rate soil. timber Buck, White Ash & some Sugar maple

East Between Sect. No. 6 and 7 Township No. 6 South Range No. 5 East — On a true line

25.00 a Buck 14 ins. dia

39.95 Set the temporary  $\frac{1}{4}$  sec. post at the average distance from which a Buck 18 ins. dia. bears



## T. 6. S. R. 5. E. of Mor. Ind.

S 19 E 19 lbs. & another Beech 12 ins. dia. bears  
 N 24 E 24 links  
 30.00 a Beech 10 ins. dia.  
 79.90 To the section corner.

South Between sections No. 7 and 8. Township No. 6  
 South, Range No. 5 East

7.00 a Brook 6 lbs. wide course S. W.  
 10.00 a Beech 18 ins. dia.  
 40.00 Set the  $\frac{1}{2}$  mile or  $\frac{1}{4}$  sec. post, from which a  
 White Elm 16 ins. dia. bears S 74 W 15 lbs. & a  
 White Oak 18 ins. dia. bears N 62 E 27 lbs.  
 This  $\frac{1}{2}$  mile is over level & 1st rate bottom land,  
 timber Beech Sugar maple & some White Oak  
 44.34 Set a post on the Western bank of the Ohio river  
 from which a Beech 12 ins. dia. bears S 53 E 6 lbs.  
 & a Sugar Maple 16 ins. dia. bears N 80 W 5 lbs.  
 and is the corner of sec. No. 7 & 8. Township  
 No. 6 South, Range No. 5 East. Soil & Timber  
 as above.

South Between sec. No. 4 and 5. Township No. 6 South  
 Range No. 5 East

31.00 a Beech 14 ins. dia.  
 40.00 Set the  $\frac{1}{2}$  mile or  $\frac{1}{4}$  sec. post, from which a  
 Sugar maple 8 ins. dia. bears N 84 E 28 lbs. and a  
 Red Elm 5 ins. dia. bears N 29 W 12 lbs. This  $\frac{1}{2}$  mile  
 is over broken land, rich soil covered with cane  
 timber Beech, Sugar Maple & some White Oak  
 55.00 a Brook 6 lbs. wide course West  
 60.00 a White Oak 30 ins. dia.  
 77.00 a Brook 3 lbs. wide course S. W.  
 80.00 Set a mile post corner of sec. No. 4, 5, 8 and 9  
 Township No. 6 South, Range No. 5 East, from  
 which a Beech 16 ins. dia. bears N 67 E 29 lbs.  
 & another Beech 6 ins. dia. bears S 44 E W 29 lbs.

349

T. C. L. R. S. E. of Mer. Ind.

This  $\frac{1}{2}$  mile is over broken land, 3<sup>d</sup> rate soil, timber White Oak, some Buck & Locust, South side of the hill undergrowth thick cane

- 
- West Between Sect. No. 5 and 8 Township No. 6 South, Range No. 5 East, On a Random line
- 22.00 a buck 5 ins. wide course S. W.
- 35.00 a Do 6 " " " S. W.
- 40.00 set a temporary  $\frac{1}{4}$  Sec. post. This  $\frac{1}{2}$  mile is over high knobs, & rocky covered with large cane, timber White Oak, Buck and Locust
- 81.00 Intersects the North & South line 20 Mrs. South of the Sec. post., This  $\frac{1}{2}$  mile is over high knobs rocky land, covered with large cane, Timber White Oak, Black Oak, Buck &c.

- 
- East Between Sect. No. 5 & 8 Township No. 6 South Range No. 5 East, On a true line.
- 37.00 a Buck 10 ins. dia.
- 40.50 set the temporary  $\frac{1}{4}$  Sec. post at average distance from which a Buck 7 ins. dia. bears S  $31^{\circ}$  W 20 Mrs. & a Buck 6 ins. dia. bears N  $71^{\circ}$  W 12 Mrs.
- 81.00 To the Section corner

- 
- South Between Sect. No. 8 and 9 Township No. 6 South Range No. 5 East
- 21.50 a White Oak 7 ins. dia on the top of an impassable cliff— This distance the land is uneven & rich soil, covered with thick cane, as the cliff was nearly perpendicular I began the line at the foot of it & continued it South
- 31.80 a Sycamore standing on the Western bank of the Ohio River the corner of Sect. No. 8 & 9 Township No. 6 South, Range No. 5 East, from which a Sycamore 30 ins. dia. bears S  $45^{\circ}$  W 23 Mrs. and a Cottonwood 8 ins. dia. bears N  $45^{\circ}$  E 26 Mrs.—

## T. C. S. R. 5 E. of Mer. Ind.

The bottom land here is five chains wide being from the foot of the knob to the River, Timber (White Oak, Poplar & Locust &c.)

- South Between Sec. (No. 3 & 4 Township No. 6 South Range No. 5 East
- 4.00 a Brook 8 Mts. wide course S. E.
- 11.00 a B. Oak 10 ins. dia
- 21.00 a Brook 6 Mts. wide course S. E.
- 40.00 Set the  $\frac{1}{2}$  mile or  $\frac{1}{4}$  Sec. post from which a Mulberry 6 ins. dia. bears S 54 W 21 Mts. & a Black Walnut 18 ins. dia. bears S 34 E 25 Mts. This  $\frac{1}{2}$  mile is over two very high knobs. timber Black, Oak, White Oak & some Ash, soil very poor
- 51.73 a Sugar Maple 18 ins. dia
- 56.83 a White Oak 12 ins. dia. stands on the top of a high cliff. This cliff ranges along E & W. for two miles up & down the Ohio River, faces South, passable at four places
- 65.00 Down a cliff & knob
- 80.00 Set a mile post for the corner of Sec. No. 3 and 4 and 9 and 10 Township No. 6 South, Range No. 5 East from which a White Maple 14 ins. dia. bears S 60 E 10 Mts. & another White Maple 10 ins. dia. bears S 29 W 32 Mts. This  $\frac{1}{2}$  mile to the top of the cliff is poor uneven land, & from the foot is good bottom land, timber Beech, Poplar & White Oak

- West Between Sec. No. 4 and 9. Township No. 6 South Range No. 5 East — on random line
- 25.00 Over  $1\frac{1}{2}$  rate bottom land,
- 34.00 along a steep side hill & knob to a perpendicular cliff looking to the South East impassable either to the right or left, went around the cliff to the corner of Sec. No. 4. 5. 8 and 9 in

351

S. 6. T. 5. E. of Mer. Ind.

35.00 Township No. 6 South, Range No. 5 East  
To the top of the above mentioned cliff and found  
it impossible to establish the  $\frac{1}{4}$  sec. post at  
the proper place

South Between Sec. No. 9 & 10 Township No. 6  
South, Range No. 5 East  
9.67 a White Elm 24 ins. dia  
26.10 a cottonwood 18 ins. dia. standing on the Western  
bank of the Ohio river from which a cottonwood  
14 ins. dia. bears N 51 E 54 lbs. & another cottonwood  
15 ins. dia. bears N 53 W 44 lbs. This distance is  
over 1<sup>st</sup> rate bottom land, timber Beech, Sugar  
maple & Poplar

East Between Sec. No. 3 and 10. Township No. 6 South  
Range No. 5 East  
14.70 a W. Ash 14 ins. dia  
35.00 a Blue Ash 14 ins. dia  
40.00 Set the  $\frac{1}{2}$  mile or  $\frac{1}{4}$  sec. post from which a Buckeye  
10 ins. dia. bears S 31 E 24 lbs. & a Hickory 18 ins. dia.  
bears N 59 W 20 lbs. This  $\frac{1}{2}$  mile is over 1<sup>st</sup> rate bottom  
land, timber Sugar-maple, Elm, Hickory & Beech  
60.66 Set a post on the bank of the Ohio River - the  
corner of Sec. No. 3 & 10. Township No. 6 South, Range  
No. 5 East, from which a White Maple 14 ins. dia. bears  
S 18 E 17 lbs. & another White maple 14 ins. dia. bears  
N 79 E 39 lbs. This distance is over 1<sup>st</sup> rate bottom  
land, mostly improved.

South Between Sec. No. 2 and 3 Township No. 6 South  
Range No. 5 East  
12.50 a brook 18 lbs. wide course N. E  
20.65 a Beech 14 ins. dia  
40.00 Set the  $\frac{1}{2}$  mile or  $\frac{1}{4}$  sec. post, from which a  
Sycamore 48 ins. dia. bears N 65 E 106 lbs. & a White



# J. C. S. R. S. E. of Mer.

- Maple 18 ins. dia. bears N 76 W 109 lrs. This is mile  
over 1<sup>st</sup> rate bottom land, covered with large cane  
Timber Beech, Sugar Maple and Poplar.  
40.50 a creek 25 lrs. wide course S. W by W.  
50.00 a Beech 9 ins. dia.  
64.88 a White maple standing on the Western bank  
of the Ohio River the corner of Sec. No. 2 & 3. Township  
No. 6 South, Range No. 5 East, from which a White  
maple 14 ins. dia. bears S 89 E 40 lrs. & another  
White maple 18 ins. dia. bears S 26 W 56 lrs.  
(This distance is over 1<sup>st</sup> rate bottom, Timber Beech  
Sugar maple & Poplar.)

## Meanders of the Ohio Township No. 6 South, Range No. 5 East

Began at the S. W. corner of J. C. S. R. S. E.  
and at the S. W. corner of Sec. No. 7. J. C. S. R. S. E.  
Meandered along N. W. & W. Bank.

courses Distance

- N 80 E 80.75 Intersected the North and South line,  
between the fractions of Sec. No. 7 & 8. Township  
No. 6 South, Range No. 5 East, 26 lrs. North  
of the corner on the bank of the Ohio River

- N 79 E 81.00 Intersected the North & South line between  
the fractions No. 8 & 9 Township No. 6 South  
Range No. 5 East, 86 lrs. North of the corner  
on the bank of the Ohio River

- N 86 E 79.00 Intersected the North & South line between  
the fractions of Sec. No. 9 & 10. Township No. 6  
South, Range No. 5 East, 125 links South  
of the corner on the bank of the Ohio River,  
from this corner offset 3 lrs. 39 lrs.

- N 70 E 39.00 16 lrs a large tree standing on the point



353

S. O. L. R. S. E. of Mer. Ind.

of land, made by the junction of the Salt & Ohio Rivers, & on the Northerly bank of the Salt river bears S 59 1/2 E 39 chs., the above large tree on the point & northerly bank of the Salt River bears S 19 E.

N 60 E 20.00

N 53 E 50.00 at 8 chains corners of Sec. P. (No. 3 and 10 Township No. 6 South, Range No. 5 East, bears N 30 3/4 W 200 lns. at 3 3 chs. corner of Sections of Sec. P. (No. 2 & 3. Township No. 6 South, Range No. 5 East. bears N 32 W 195 lns.

N 43 E 21.00

N 38 E 33.00

N 30 E 31.00 at 16 chains 30 lns. intersected the township line between Townships No. 5 & 6 South, Range No. 5 East 191 links due East.

Surveyed by

Aaron Taylor

Deputy Surveyor.

I certify that the foregoing Transcript of the Field notes of Township No. 6 South, Range No. 5 East of the Mer. has been compared with the original in this office & found to be correct

Surveyor General's Office,  
Cincinnati, Feb. 12. 1845

E. S. Cairnes  
Eng. & S.